



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/674,729	11/06/2000	Takashi Aramaki	L9289.00111	3698
7590 02/13/2004			EXAMINER	
Stevens Davis Miller & Mosher			DUONG, DUC T	
Suite 850 1615 L Street NW			ART UNIT	PAPER NUMBER
Washington, DC 20036			2663	A
			DATE MAILED: 02/13/2004	7

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
,	09/674,729 ARAMAKI ET AL.	
Office Action Summary	Examiner	Art Unit
	Duc T. Duong	2663
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a rep If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be tiply within the statutory minimum of thirty (30) dall will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONI	mely filed ys will be considered timely. the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on <u>06 f</u> 2a) This action is FINAL . 2b) Thi 3) Since this application is in condition for allowed closed in accordance with the practice under	s action is non-final. ance except for formal matters, pr	
Disposition of Claims		•
 4) Claim(s) 1-15 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-4 and 7-15 is/are rejected. 7) Claim(s) 5 and 6 is/are objected to. 8) Claim(s) are subject to restriction and/a 	awn from consideration.	
Application Papers		
9) ☐ The specification is objected to by the Examin 10) ☐ The drawing(s) filed on is/are: a) ☐ acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the E	cepted or b) objected to by the drawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
a) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat * See the attached detailed Office action for a list	ts have been received. ts have been received in Applicat prity documents have been receiv au (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date 4.	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	

Art Unit: 2663

DETAILED ACTION

Specification

1. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claims 1 and 3 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claims 1 and 3, the claim defines both a method and an apparatus. The claim as a whole is neither a definition of a method nor of an apparatus but is instead a hybrid of the two; it, therefore, does not define the invention in the manner contemplated by the second sentence of 35 U.S.C. Sec. 112 (see In re Oakley, 1935 C.D. 198, 454 O.G. 536, 73 F.2d 934, 24 USPQ 75).

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

Art Unit: 2663

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

5. Claims 1-4, 7, and 9-15 are rejected under 35 U.S.C. 102(e) as being anticipated Seo (U.S. Patent 6,581,176 B1).

Regarding to claims 1 and 14, Seo discloses an error control method comprising the steps of receiving of ARQ control information representing existence of a retransmission requirement of a packet corresponding to a sequence number (Fig. 4 col. 5 lines 63-67) including occurrence of a corresponding packet's error (Fig. 6 col. 7 lines 26-40); and retransmitting of the whole packets consisting of a packet corresponding to a sequence number instructed by said ARQ control information (Fig. 6 col. 6 lines 57-63) and packets finished transmission corresponding to numbers followed on the heels of the latest sequence number about temporal order from among sequence numbers instructed by said ARQ control information (Fig. 4 col. 6 lines 8-22).

Regarding to claims 2 and 15, Seo discloses the ARQ control information includes one sequence number (NAK Map) corresponding to a first occurrence of packet' error and bit information representing existence of retransmission requirements about sequence numbers followed on the heels of said one sequence number (Fig. 4 col. 6 lines 8-22).

Art Unit: 2663

Regarding to claim 3, Seo discloses a transmission-reception apparatus receiving an ARQ control information which is comprised of one inner-frame position (NAK Map) information corresponding to a first occurrence of packet's error (Fig. 4 col. 6 lines 8-11) and bit information representing existence of a retransmission requirement about position information concerning positions followed on the heels of the position corresponding to said one inner-frame position information (Fig. 4 col. 6 lines 11-22), then retransmitting a whole packets consisting of a packet corresponding to a position instructed by said ARQ control information (Fig. 6 col. 6 lines 57-63) and packets finished transmission corresponding to numbers followed on the heels of the number of the latest position about temporal order from among positions instructed by said ARQ control information (Fig. 4 col. 6 lines 8-22).

Regarding to claim 4, Seo discloses the ARQ control information includes frame numbers indicating a position of a frame (Fig. 4 col. 5 lines 63-67).

Regarding to claim 7, Seo discloses the ARQ control information is transmitted by a common channel (col. 3 lines 44-51).

Regarding to claim 9, Seo discloses transmits a plurality ARQ control information continuously (Fig. 7 col. 7 lines 4-16).

Regarding to claims 10 and 11, Seo discloses the apparatus changes the number of bit (NAK_TYPE), which configures said control information in compliance with either occurrence condition of error or line quality (Fig. 4 col. 5 lines 53-57).

Regarding to claims 12 and 13, Seo discloses a communication terminal and base station is provided (col. 1 lines 17-18).

Art Unit: 2663

Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 1-4, 7, and 9-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ejzak et al (U.S. Patent 5,444,718) in view of Seo.

Regarding to claims 1, 7, and 14, Ejzak discloses an error control method comprising the steps of receiving of status control information representing existence of a retransmission requirement of a packet corresponding to a sequence number (Fig. 3 col. 4 lines 7-26) including occurrence of a corresponding packet's error (Fig. 3 col. 4 lines 26-36); and retransmitting of the whole packets consisting of a packet corresponding to a sequence number instructed by said ARQ control information (Fig. 5 col. 5 lines 56-67 and col. 6 lines 1-17) and packets finished transmission corresponding to numbers followed on the heels of the latest sequence number about temporal order from among sequence numbers instructed by said ARQ control information (Fig. 5 col. 6 lines 17-29).

Ejzak fails to teach the status control information is one of ARQ; and the status control information is transmitted by a common channel (claim 7).

However, Seo discloses mobile radio communication system implementing an ARQ protocol; and the ARQ control information is transmitted by a common channel (col. 3 lines 44-51).

Art Unit: 2663

Thus, it would have been obvious to one of skilled in the art to include the ARQ communication system as taught by Seo in Ejzak to ensure a reliability of an NAK control frame transmission.

Regarding to claims 2 and 15, Ejzak discloses the status control information includes one sequence number (NR) corresponding to a first occurrence of packet' error and bit information representing existence of retransmission requirements about sequence numbers followed on the heels of said one sequence number (Fig. 3 col. 4 lines 7-36).

Regarding to claim 3, Ejzak discloses a transmission-reception apparatus receiving a status control information which is comprised of one inner-frame position (NR) information corresponding to a first occurrence of packet's error (Fig. 3 col. 4 lines 7-26) and bit information representing existence of a retransmission requirement about position information concerning positions followed on the heels of the position corresponding to said one inner-frame position information (Fig. 6 col. 4 lines 26-36), then retransmitting a whole packets consisting of a packet corresponding to a position instructed by said ARQ control information (Fig. 5 col. 5 lines 56-67 and col. 6 lines 1-17) and packets finished transmission corresponding to numbers followed on the heels of the number of the latest position about temporal order from among positions instructed by said ARQ control information (Fig. 5 col. 6 lines 17-29).

Ejzak fails to teach the status control information is one of ARQ.

However, Seo discloses mobile radio communication system implementing an ARQ protocol.

Art Unit: 2663

Thus, it would have been obvious to one of skilled in the art to include the ARQ communication system as taught by Seo in Ejzak to ensure a reliability of an NAK control frame transmission.

Regarding to claim 4, Ejzak discloses the status control information includes packet numbers indicating a position (sequence) of a packet (Fig. 5 col. 5 lines 40-55).

Regarding to claim 9, Ejzak discloses transmits a plurality ARQ control information continuously (col. 4 lines 7-12).

Regarding to claims 10 and 11, Ejzak discloses the apparatus changes the number of bit (bit map field), which configures said control information in compliance with either occurrence condition of error or line quality (Fig. 3 col. 4 lines 23-36).

Regarding to claims 12 and 13, Ejzak discloses a communication terminal and base station is provided (Fig. 1 col. 2 lines 11-29).

8. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Seo in view of Fukuda (U.S. Patent 5,889,790).

Regarding to claim 8, Seo discloses all the limitation with respect to claim 1, except for the same sequence number is set within prescribed data unit. However, Fukuda discloses an automatic repeat request ARQ system having a frame number (sequence number) is set within an ARQ frame (Fig. 2A col. 8 lines 1-5). Thus, it would have been obvious to one of skilled in the art to include the ARQ system as taught by Fukuda in Seo's system to makes it possible to transmit a feedback frame indicating request frame numbers in ascending/descending order.

Allowable Subject Matter

Art Unit: 2663

9. Claims 5 and 6 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Duc T. Duong whose telephone number is 703-605-5146. The examiner can normally be reached on M-Th (8:30 AM-5:30 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chau T. Nguyen can be reached on 703-308-5340. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DD

February 5, 2004

STEVEN H.D NGUYEN PRIMARY EXAMINER

Page 8